


- 101 -

## WHAT IS CLAIMED IS:

1. A method of treating or ameliorating a disorder responsive to the induction of apoptosis in an animal suffering therefrom, comprising administering to an animal in need of such treatment an effective amount of a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> are independently and optionally substituted and are aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl, or heteroarylalkyl.

2. The method of claim 1, wherein Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> independently are optionally substituted phenyl, naphthyl, pyridyl, quinolyl, isoquinolyl, thienyl, furyl, pyrrolyl, indolyl, imidazolyl, pyrazolyl or cyclohexyl.

3. The method of claim 1, wherein Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> independently are optionally substituted and are phenyl or pyridyl.

4. The method of claim 1, wherein said compound is selected from the group consisting of:

2-[3-(4-Chloro-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

- 102 -

2-[3-(4-Methoxy-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-bromo-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-nitro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-chloro-benzylidene)-malonamide;

2-[3-(4-Fluoro-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

2-[1-phenyl-3-(thiophen-2-yl)-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-furan-2-yl-methylene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyridyl-methylene)-malonamide;

N,N'-Diphenyl-2-(4-isopropyl-benzylidene)-malonamide;

- 103 -

N,N'-Bis-(2-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(4-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3H-imidazol-4-yl-methylene)-malonamide;

N,N'-Bis-(3'-nitro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[(4-isopropyl-phenyl)-morpholin-4-yl-methyl]-malonamide;

N,N'-Bis-(3-bromo-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-methyl-pyridin-2-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-furan-2-yl-methylene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-chloro-2-nitro-benzylidene)-malonamide;

N,N'-Bis-(pyridin-3-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methylsulfonyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-cyano-benzylidene)-malonamide;

- 104 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-chloro-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

N,N'-Bis-(quinolin-6-yl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-phenyl-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-methoxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(6-Bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzofuran-5-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyrrolidin-1-yl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(5-chloro-2-hydroxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[3,5-dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

- 105 -

N,N'-Di-(pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-pyridin-3-yl-methylene)-malonamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[5-chloro-2-(2-morpholin-4-ylethoxy)-benzylidene]-malonamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-benzylidene)-malonamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4,5-trimethoxy-benzylidene)-malonamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(7-methoxy-benzo[1,3]dioxol-5-yl-methylene)-malonamide;  
(E) and (Z)-N-(1H-Indol-5-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;  
N,N'-Bis-(2-chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-malonamide;  
3-(4-Isopropyl-phenyl)-N-(3-trifluoromethyl-phenyl)-2-(3-trifluoromethyl-phenylsulfamoyl)-acrylamide;  
N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-trifluoromethyl-pyridin-3-yl-methylene)-malonamide;  
(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;  
(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-[4-(2-morpholin-4-ylethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;  
(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-N'-(3-trifluoromethyl-phenyl)-malonamide;  
(E) and (Z)-2-Benzylidene-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;  
(E) and (Z)-2-(4-Chloro-benzylidene)-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;  
(E) and (Z)-N-(2-Dimethylamino-ethyl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

- 106 -

(E) and (Z)-3-[3-(4-Isopropyl-phenyl)-2-(3-trifluoromethyl-phenylcarbamoyl)-acryloylamino]-benzoic acid;

(E) and (Z)-N-(2-Chloro-1-oxy-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-nitro-5-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,6-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-bromo-2-furyl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-N-methylpiperidinyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-bromo-pyridin-2-yl-methylene)malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4-methoxy-benzylidene)malonamide;

- 107 -

N,N'-Bis-(6-bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-carboxy-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-chloro-5-nitro-benzylidene)-malonamide;

N, N'-Bis-(3-chloro-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Bromo-4,5-dimethoxy-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Chloro-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-ethylcarboxyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-5-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethy-3-pyridyl-methylene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-sulfamoyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-4-N-morpholinylphenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(6-trifluoromethyl-3-pyridyl-methylene)-malonamide;

- 108 -

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(3-carboxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;


(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide; and

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)malonamide;

or a pharmaceutically acceptable salt or prodrug thereof.

5. The method of claim 1, wherein said compound has the Formula II:



or a pharmaceutically acceptable salt or prodrug thereof, wherein R<sub>1</sub>-R<sub>15</sub> are independently hydrogen, halo, haloalkyl, aryl, optionally substituted fused heteroaryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl,



- 109 -

heteroarylalkenyl, heteroarylalkynyl, carbocyclealkyl, heterocycloalkyl, hydroxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, carbonylamido, alkylthiol, alkylsulfonyl or alkylcarboxylate.

6. The method of claim 5, wherein said compound is selected from the group consisting of:

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-bromo-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-nitro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzyl)-malonamide;

N,N'-Diphenyl-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(2-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(4-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

- 110 -

N,N'-Bis-(3-methoxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-nitro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[(4-isopropyl-phenyl)-morpholin-4-yl-methyl]-malonamide;

N,N'-Bis-(3-bromo-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-chloro-2-nitro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methylsulfonyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-cyano-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-chloro-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-phenyl-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-methoxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyrrolidin-1-yl-benzylidene)-malonamide;

- 111 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(5-chloro-2-hydroxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[3,5-dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[5-chloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4,5-trimethoxy-benzylidene)-malonamide;

3-(4-Isopropyl-phenyl)-N-(3-trifluoromethyl-phenyl)-2-(3-trifluoromethyl-phenylsulfamoyl)-acrylamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Dimethylamino-ethyl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-3-[3-(4-Isopropyl-phenyl)-2-(3-trifluoromethyl-phenylcarbamoyl)-acryloylamino]-benzoic acid;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-nitro-5-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methoxy-benzylidene)-malonamide;

- 112 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,6-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-N-methylpiperidinyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4-methoxy-benzylidene)malonamide;

N,N'-Bis-(3-carboxy-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-chloro-5-nitro-benzylidene)-malonamide;

N, N'-Bis-(3-chloro-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-ethylcarboxyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-5-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-sulfamoyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;


N,N'-Bis-(3-trifluoromethyl-4-N-morpholinylphenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-trifluoromethyl-benzylidene)-malonamide; and

- 113 -

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;  
or a pharmaceutically acceptable salt or prodrug thereof.

7. A method for treating or ameliorating cancer, comprising administering to an animal in need of such treatment an effective amount of a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> are independently and optionally substituted and are aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl, or heteroarylalkyl.


8. The method of claim 7, wherein said animal is a mammal.

9. The method of claim 7, wherein said cancer is selected from the group consisting of Hodgkin's disease, non-Hodgkin's lymphoma, acute lymphocytic leukemia, chronic lymphocytic leukemia, multiple myeloma, neuroblastoma, breast carcinoma, ovarian carcinoma, lung carcinoma, Wilms' tumor, cervical carcinoma, testicular carcinoma, soft-tissue sarcoma, primary macroglobulinemia, bladder carcinoma, chronic granulocytic leukemia, primary brain carcinoma, malignant melanoma, small-cell lung carcinoma, stomach carcinoma, colon carcinoma, malignant pancreatic insulinoma, malignant carcinoid carcinoma, choriocarcinomas, mycosis fungoides, head or

- 114 -

neck carcinoma, osteogenic sarcoma, pancreatic carcinoma, acute granulocytic leukemia, hairy cell leukemia, neuroblastoma, rhabdomyosarcoma, Kaposi's sarcoma, genitourinary carcinoma, thyroid carcinoma, esophageal carcinoma, malignant hypercalcemia, cervical hyperplasia, renal cell carcinoma, endometrial carcinoma, polycythemia vera, essential thrombocytosis, adrenal cortex carcinoma, skin cancer and prostatic carcinoma.

10. A method for the treatment or amelioration of drug-resistant cancer, comprising administering to an animal in need of such treatment or amelioration an effective amount of a compound of the Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> are independently and optionally substituted and are aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl, or heteroarylalkyl.

11. The method of claim 10, wherein said animal is a mammal.

12. The method of claim 7 or 10, additionally comprising administering at least one known cancer chemotherapeutic agent, or a pharmaceutically acceptable salt of said agent.

13. The method of claim 7 or 10, wherein said compound is administered together with at least one compound selected from the group


- 115 -

consisting of busulfan, cis-platin, mitomycin C, carboplatin, colchicine, vinblastine, paclitaxel, docetaxel, camptothecin, topotecan, doxorubicin, etoposide, 5-azacytidine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxyuridine, ara-C, hydroxyurea, thioguanine, melphalan, chlorambucil, cyclophosphamide, ifosfamide, vincristine, mitoguazone, epirubicin, aclarubicin, bleomycin, mitoxantrone, elliptinium, fludarabine, octreotide, retinoic acid, tamoxifen, Herceptin<sup>®</sup>, Rituxan<sup>®</sup>, arsenic trioxide, gemcitabine, doxazosin, terazosin, tamsulosin, CB-64D, CB-184, haloperidol, lovastatin, simvastatin, pravastatin, fluvastatin, atorvastatin, cerivastatin, amprenavir, abacavir, CGP-73547, CGP-61755, DMP-450, indinavir, nelfinavir, tipranavir, ritonavir, saquinavir, ABT-378, AG 1776, BMS-232,632, bexarotene, tretinoin, 13-cis-retinoic acid, 9-cis-retinoic acid,  $\alpha$ -difluoromethylornithine, ILX23-7553, fenretinide, N-4-carboxyphenyl retinamide, lactacystin, MG-132, PS-341, Gleevec<sup>®</sup>, ZD1839 (Iressa), SH268, genistein, CEP2563, SU6668, SU11248, EMD121974, R115777, SCH66336, L-778,123, BAL9611, TAN-1813, flavopiridol, UCN-01, roscovitine, olomoucine, celecoxib, valecoxib, rofecoxib and alanosine.

14. The method of claim 7 or 10, additionally comprising treating said animal with radiation-therapy.
15. The method of claim 1, wherein said disorder is rheumatoid arthritis.
16. The method of claim 1, wherein said disorder is inflammation.
17. The method of claim 1, wherein said disorder is inflammatory bowel disease.
18. The method of claim 1, wherein said disorder is Crohn's disease.

- 116 -

19. The method of claim 1, wherein said disorder is ulcerative colitis.
20. The method of claim 1, wherein said disorder is a skin disease.
21. The method of claim 20, wherein said disorder is psoriasis.
22. The method according to claim 1, wherein said disorder is an infectious viral disease.
23. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> are independently and optionally substituted and are aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl, or heteroarylalkyl.

24. The pharmaceutical composition of claim 23, wherein said compound is selected from the group consisting of:

2-[3-(4-Chloro-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;



- 117 -

2-[3-(4-Methoxy-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-bromo-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-nitro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-chloro-benzylidene)-malonamide;

2-[3-(4-Fluoro-phenyl)-1-phenyl-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

2-[1-phenyl-3-(thiophen-2-yl)-1H-pyrazol-4-ylmethylene]-N,N'-bis-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-furan-2-yl-methylene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyridyl-methylene)-malonamide;

N,N'-Diphenyl-2-(4-isopropyl-benzylidene)-malonamide;

- 118 -

N,N'-Bis-(2-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(4-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3H-imidazol-4-yl-methylene)-malonamide;

N,N'-Bis-(3-nitro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[(4-isopropyl-phenyl)-morpholin-4-yl-methyl]-malonamide;

N,N'-Bis-(3-bromo-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-methyl-pyridin-2-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-furan-2-yl-methylene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-chloro-2-nitro-benzylidene)-malonamide;

N,N'-Bis-(pyridin-3-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methylsulfonyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-cyano-benzylidene)-malonamide;

- 119 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-chloro-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

N,N'-Bis-(quinolin-6-yl)-2-(4-isopropyl-benzylidene)-malonamide ;  
(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-phenyl-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-methoxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(6-Bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzofuran-5-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyrrolidin-1-yl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(5-chloro-2-hydroxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[3,5-dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

- 120 -

N,N'-Di-(pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[5-chloro-2-(2-morpholin-4-ylethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4,5-trimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(7-methoxy-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

(E) and (Z)-N-(1H-Indol-5-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(2-chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-malonamide;

3-(4-Isopropyl-phenyl)-N-(3-trifluoromethyl-phenyl)-2-(3-trifluoromethyl-phenylsulfamoyl)-acrylamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-trifluoromethyl-pyridin-3-yl-methylene)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-[4-(2-morpholin-4-ylethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-Benzylidene-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Chloro-benzylidene)-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Dimethylamino-ethyl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

- 121 -

(E) and (Z)-3-[3-(4-Isopropyl-phenyl)-2-(3-trifluoromethyl-phenylcarbamoyl)-acryloylamino]-benzoic acid;

(E) and (Z)-N-(2-Chloro-1-oxy-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-nitro-5-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,6-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-bromo-2-furyl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-N-methylpiperidiny-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-bromo-pyridin-2-yl-methylene)malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4-methoxy-benzylidene)malonamide;

- 122 -

N,N'-Bis-(6-bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-carboxy-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-chloro-5-nitro-benzylidene)-malonamide;

N, N'-Bis-(3-chloro-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Bromo-4,5-dimethoxy-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Chloro-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-ethylcarboxyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-5-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-sulfamoyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-4-N-morpholinylphenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(6-trifluoromethyl-3-pyridyl-methylene)-malonamide;

- 123 -

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(3-carboxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide; and

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)malonamide;  
or a pharmaceutically acceptable salt or prodrug thereof.


25. The pharmaceutical composition of claim 23, additionally comprising at least one known cancer chemotherapeutic agent, or a pharmaceutically acceptable salt of said agent.

26. The pharmaceutical composition of claim 25, wherein said known cancer therapeutic agent is selected from the group consisting of busulfan, cis-platin, mitomycin C, carboplatin, colchicine, vinblastine, paclitaxel, docetaxel, camptothecin, topotecan, doxorubicin, etoposide, 5-azacytidine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxy-uridine, ara-C, hydroxyurea, thioguanine, melphalan, chlorambucil, cyclophosphamide, ifosfamide, vincristine, mitoguanzone, epirubicin, aclarubicin, bleomycin, mitoxantrone, elliptinium, fludarabine, octreotide, retinoic acid, tamoxifen, Herceptin<sup>®</sup>, Rituxan<sup>®</sup>, arsenic trioxide, gemcitabine, doxazosin, terazosin, tamsulosin, CB-64D, CB-184, haloperidol, lovastatin, simvastatin, pravastatin,

- 124 -

fluvastatin, atorvastatin, cerivastatin, amprenavir, abacavir, CGP-73547, CGP-61755, DMP-450, indinavir, nelfinavir, tipranavir, ritonavir, saquinavir, ABT-378, AG 1776, BMS-232,632, bexarotene, tretinoin, 13-cis-retinoic acid, 9-cis-retinoic acid,  $\alpha$ -difluoromethylornithine, ILX23-7553, fenretinide, N-4-carboxyphenyl retinamide, lactacystin, MG-132, PS-341, Gleevec<sup>®</sup>, ZD1839 (Iressa), SH268, genistein, CEP2563, SU6668, SU11248, EMD121974, R115777, SCH66336, L-778,123, BAL9611, TAN-1813, flavopiridol, UCN-01, roscovitine, olomoucine, celecoxib, valecoxib, rofecoxib and alanosine.

27. A compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> are independently and optionally substituted and are aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl, or heteroarylalkyl.


28. The method of claim 27, wherein Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> independently are optionally substituted phenyl, naphthyl, pyridyl, quinolyl, isoquinolyl, thienyl, furyl, pyrrolyl, indolyl, imidazolyl, pyrazolyl or cyclohexyl.

29. The method of claim 27, wherein Ar<sub>1</sub>, Ar<sub>2</sub> and Ar<sub>3</sub> independently are optionally substituted and are phenyl or pyridyl.



- 125 -

30. The compound of Formula II:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

R<sub>1</sub>-R<sub>15</sub> are independently hydrogen, halo, haloalkyl, aryl, optionally substituted fused aryl, optionally substituted fused heteroaryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocyclealkyl, heterocycloalkyl, hydroxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, carbonylamido, alkylthiol, alkylsulfonyl or alkylcarboxylate.

31. A compound selected from the group consisting of:

N,N'-Bis-(3-methoxy-phenyl)-2-(4-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-furan-2-yl-methylene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzyl)-malonamide;

- 126 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyridyl-methylene)-malonamide;

N,N'-Diphenyl-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(2-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(4-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3H-imidazol-4-yl-methylene)-malonamide;

N,N'-Bis-(3-nitro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[(4-isopropyl-phenyl)-morpholin-4-yl-methyl]-malonamide;

N,N'-Bis-(3-bromo-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-methyl-pyridin-2-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-furan-2-yl-methylene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-chloro-2-nitro-benzylidene)-malonamide;

N,N'-Bis-(pyridin-3-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethyl-benzylidene)-malonamide;

- 127 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methylsulfonyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-cyano-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-chloro-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

N,N'-Bis-(quinolin-6-yl)-2-(4-isopropyl-benzylidene)-malonamide ;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-phenyl-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-methoxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(6-Bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzofuran-5-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyrrolidin-1-yl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(5-chloro-2-hydroxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-dimethylamino-benzylidene)-malonamide;

- 128 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[3,5-dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Di-(pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[5-chloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4,5-trimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(7-methoxy-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

(E) and (Z)-N-(1H-Indol-5-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(2-chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-malonamide;

3-(4-Isopropyl-phenyl)-N-(3-trifluoromethyl-phenyl)-2-(3-trifluoromethyl-phenylsulfamoyl)-acrylamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-trifluoromethyl-pyridin-3-yl-methylene)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-Benzylidene-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

- 129 -

(E) and (Z)-2-(4-Chloro-benzylidene)-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Dimethylamino-ethyl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-3-[3-(4-Isopropyl-phenyl)-2-(3-trifluoromethyl-phenylcarbamoyl)-acryloylamino]-benzoic acid;

(E) and (Z)-N-(2-Chloro-1-oxy-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-nitro-5-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,6-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-bromo-2-furyl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-N-methylpiperidinyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-bromo-pyridin-2-yl-methylene)malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

- 130 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4-methoxy-benzylidene)malonamide;

N,N'-Bis-(6-bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-carboxy-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-chloro-5-nitro-benzylidene)-malonamide;

N, N'-Bis-(3-chloro-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Bromo-4,5-dimethoxy-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Chloro-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-ethylcarboxyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-5-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-sulfamoyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-4-N-morpholinylphenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

- 131 -

N,N'-Bis-(3-chloro-phenyl)-2-(3-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(6-trifluoromethyl-3-pyridyl-methylene)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(3-carboxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide; and

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)malonamide;

or a pharmaceutically acceptable salt or prodrugs thereof.

32. A compound selected from the group consisting of:

N,N'-Bis-(3-methoxy-phenyl)-2-(4-trifluoromethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,4-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropyl-benzyl)-malonamide;

N,N'-Diphenyl-2-(4-isopropyl-benzylidene)-malonamide;

- 132 -

N,N'-Bis-(2-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(4-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-nitro-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[(4-isopropyl-phenyl)-morpholin-4-yl-methyl]-malonamide;

N,N'-Bis-(3-bromo-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-methoxy-phenyl)-2-(4-chloro-2-nitro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-ethyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methylsulfonyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-cyano-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-phenyl-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-methoxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-isopropoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-hydroxy-benzylidene)-malonamide;



- 133 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyrrolidin-1-yl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4-dichloro-benzylidene)-malonamide;

N,N'-Bis-(5-chloro-2-hydroxy-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[3,5-dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-[5-chloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene]-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,4,5-trimethoxy-benzylidene)-malonamide;

3-(4-Isopropyl-phenyl)-N-(3-trifluoromethyl-phenyl)-2-(3-trifluoromethyl-phenylsulfamoyl)-acrylamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Dimethylamino-ethyl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-3-[3-(4-Isopropyl-phenyl)-2-(3-trifluoromethyl-phenylcarbamoyl)-acryloylamino]-benzoic acid;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-dimethylamino-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-nitro-5-chloro-benzylidene)-malonamide;

- 134 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-methoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-chloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,6-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dichloro-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-N-methylpiperidinyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3,5-dimethoxy-4-hydroxy-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3-bromo-4-methoxy-benzylidene)malonamide;

N,N'-Bis-(3-carboxy-phenyl)-2-benzylidene-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(3-chloro-5-nitro-benzylidene)-malonamide;

N, N'-Bis-(3-chloro-phenyl)-2-(3-bromo-4,5-dimethoxy-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-ethylcarboxyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-methoxy-5-trifluoromethyl-phenyl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(4-Isopropyl-benzylidene)-N-(3-sulfamoyl-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-4-N-morpholinylphenyl)-2-(3,5-dichloro-benzylidene)-malonamide;

- 135 -

N,N'-Bis-(3-chloro-phenyl)-2-(3-trifluoromethyl-benzylidene)-malonamide; and

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;  
or a pharmaceutically acceptable salt or prodrugs thereof.

33. A compound selected from the group consisting of:

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-furan-2-yl-methylene-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(4-pyridyl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(3H-imidazol-4-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-methyl-pyridin-2-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-furan-2-yl-methylene)-malonamide;

N,N'-Bis-(pyridin-3-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2-chloro-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-chloro-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

N,N'-Bis-(quinolin-6-yl)-2-(4-isopropyl-benzylidene)-malonamide ;

(E) and (Z)-N-(6-Bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzofuran-5-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-malonamide;

N,N'-Di-(pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

- 136 -

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-methyl-pyridin-3-yl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(7-methoxy-benzo[1,3]dioxol-5-yl-methylene)-malonamide;

(E) and (Z)-N-(1H-Indol-5-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(2-chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-trifluoromethyl-pyridin-3-yl-methylene)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Chloro-pyridin-4-yl)-2-(2,3-dihydro-benzo[1,4]dioxin-6-yl-methylene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-Benzylidene-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(4-Chloro-benzylidene)-N-(2-chloro-pyridin-4-yl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-N-(2-Chloro-1-oxy-pyridin-4-yl)-2-(4-isopropyl-benzylidene)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(5-bromo-2-furyl-methylene)-malonamide;

N,N'-Bis-(3-trifluoromethyl-phenyl)-2-(6-bromo-pyridin-2-yl-methylene)malonamide;

N,N'-Bis-(6-bromo-pyridin-2-yl)-2-(4-isopropyl-benzylidene)-malonamide;

(E) and (Z)-2-(3-Trifluoromethyl-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3-Bromo-4,5-dimethoxy-benzylidene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

- 137 -

(E) and (Z)-2-(3-Pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Chloro-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethy-3-pyridyl-methylene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

N,N'-Bis-(3-chloro-phenyl)-2-(6-trifluoromethyl-3-pyridyl-methylene)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(quinolin-6-yl)-N'-(3-trifluoromethyl-phenyl)malonamide;

(E) and (Z)-2-(6-Trifluoromethy-3-pyridyl-methylene)-N-[4-(2-morpholin-4-yl-ethoxy)-3-trifluoromethyl-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(3,5-Dichloro-2-(2-morpholin-4-yl-ethoxy)-benzylidene)-N-(3-pyridyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;


(E) and (Z)-2-(6-Trifluoromethy-3-pyridyl-methylene)-N-(3-carboxy-phenyl)-N'-(3-trifluoromethyl-phenyl)-malonamide;

(E) and (Z)-2-(6-Trifluoromethy-3-pyridyl-methylene)-N-[3-(morpholine-4-sulfonyl)-phenyl]-N'-(3-trifluoromethyl-phenyl)-malonamide;  
and

(E) and (Z)-2-(6-Trifluoromethyl-3-pyridyl-methylene)-N-(2-chloro-4-pyridyl)-N'-(3-trifluoromethyl-phenyl)malonamide;


or a pharmaceutically acceptable salt or prodrugs thereof.

Fig. 1A

Marker % Total


All	100.00	
M1	2.05	Subdiploid
M2	55.15	G1
M3	18.85	S
M4	21.11	G2M

Fig. 1B

Marker % Total


All	100.00	
M1	50.38	Subdiploid
M2	29.18	G1
M3	8.69	S
M4	2.89	G2M

Fig. 1C

Marker % Total


All	100.00	
M1	77.94	Subdiploid
M2	9.29	G1
M3	2.57	S
M4	0.24	G2M

Fig. 2A



Marker	% Total	
All	98.19	
M1	9.59	Subdiploid
M2	63.22	G1
M3	6.05	S
M4	15.25	G2M

Fig. 2B



Marker	% Total	
All	99.99	
M1	88.41	Subdiploid
M2	8.44	G1
M3	2.18	S
M4	1.11	G2M